

Product Information

A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.



Automotive Chemicals - Car Care - Cleaning

Version: CC6/002

Valvoline™ Clean Tronic

Clean Tronic is a multipurpose electrical contact cleaner. It penetrates and lubricates electrical contacts, protecting against rust and corrosion.

Clean Tronic is a powerful multipurpose aerosol that not only cleans, but also preserves and lubricates.

Applications

For use on electrical contacts of passenger cars, vans, trucks, buses, trailers etc.

Suitable for industrial objects and household equipment.

Easy to use:

Spray Clean Tronic on electrical contacts, allow to penetrate, then wipe away dirt and corrosion. Reapply, and allow to dry for protection and lubrication. Carefully move the contact surfaces. Use the extension tube for pinpoint accuracy and inaccessible areas.

Features and Benefits

Superior performance and protection

Electrical contacts can become dirty and sticky which makes them less efficient. Clean Tronic easily removes contaminants and protects at the same time inhibiting rust and corrosion.

Excellent cleaning & lubrication

Clean Tronic cleans and lubricates electrical contacts and removes deposits from inaccessible areas.

Multi-purpose application

No need for more than one product to clean, protect and lubricate electrical contacts, Clean Tronic does it all. Can be used for both automotive and home equipment, including hi-fi and other musical equipment.

Product Information

A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.



Health and Safety

This product is not likely to present any significant health or safety hazards when used correctly in the right application. A Material and Safety Data Sheet (MSDS) is available on request via your local sales office or via the internet @ <http://msds.ashland.com>

Protect the Environment

Take used chemicals to an authorized collection point. Do not discharge into drains, soil or water.

Typical Properties

Typical property characteristics are based on current production. Whilst future production will conform to Valvoline specifications, variations in these characteristics may occur.

Clean Tronic	
Appearance	Clear liquid
Colour	Clear
Propellant	Propane/butane
Odor	Typical
Application temperature	10-35°C.
Specific Gravity @ 20°C.	0.679
Storage	Cool & dry

This information only applies to products manufactured in the following location(s): Europe

People Who Know Use Valvoline™

Serving more than 100 countries around the globe, Valvoline is a leading marketer, distributor and producer of quality branded automotive and industrial products and services. Products include automotive lubricants including MaxLife™, the first motor oil specifically formulated for higher-mileage vehicles; transmission fluids; gear oils; hydraulic lubricants; automotive chemicals; specialty products; greases, and cooling system products.

For more information on Valvoline products, programs and services please visit www.valvolineurope.com

Author:

AdG

Replaces – CC6/01

*Trademark owned by a third party ™ Trademark of Ashland or its subsidiaries, registered in various countries © 2012, Ashland

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty, or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which Ashland Inc. and its subsidiaries assume legal responsibility.