

# Product Information

A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.



*Automotive Chemicals - Car Care - Lubricating*

Version: CC14/002

## Valvoline™ White Grease

***White Grease is a high quality water and heat resistant lubricant for the long term protection of bolts, sliding doors, chains, hinges, and other moving or sliding parts.***

With a non-hardening, non-dripping and non-staining formula, White Grease penetrates tiny crevices, forming a lubricating grease that stays exactly where it's sprayed.

### Applications

This grease can be used on cars, garage doors, household, garden and industrial equipment.

Suitable for the protection of bolts, sliding doors, chains, hinges, and other moving or sliding parts.

Suitable for the lubrication of equipment working in damp conditions.

### Easy to use:

Spray the product to the metal surface of the object. The best result will be achieved on a clean surface. After drying, a fine layer of white grease stays behind. Aerosols are flammable; do not spray onto hot objects.

For further information on how to use White Grease, please scan the Quick Response code (QR code) to view our instructional video.



### Features and Benefits

#### **Superior performance**

White Grease is a high quality water and heat resistant lubricant for the long term protection of bolts, sliding doors, chains, hinges, and other moving or sliding parts.

#### **Deposit control**

Suitable for all metal-to-metal applications. Fights rust and corrosion. Dirt deposits can be wiped off easily.

#### **Long term protection**

This multi-use non-drip grease has special anti-wear additives and it retains its lubricity over a long period. Water and heat resistant for long term protection.

# Product Information

A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.



## Health and Safety

This product is not likely to present any significant health or safety hazards when used correctly in the right application. A Material and Safety Data Sheet (MSDS) is available on request via your local sales office or via the internet @ <http://msds.ashland.com>

## Protect the Environment

Take used chemicals to an authorized collection point. Do not discharge into drains, soil or water.

## Typical Properties

Typical property characteristics are based on current production. Whilst future production will conform to Valvoline specifications, variations in these characteristics may occur.

<b>White Grease</b>	
<b>Appearance</b>	Clear greasy liquid
<b>Colour</b>	White
<b>Propellant</b>	Carbon dioxide
<b>Odor</b>	Typical
<b>Application temperature</b>	0-+35°C.
<b>Specific Gravity @ 20°C.</b>	0.68
<b>Storage</b>	Cool & dry

**This information only applies to products manufactured in the following location(s): Europe**

## People Who Know Use Valvoline™

Serving more than 100 countries around the globe, Valvoline is a leading marketer, distributor and producer of quality branded automotive and industrial products and services. Products include automotive lubricants including MaxLife™, the first motor oil specifically formulated for higher-mileage vehicles; transmission fluids; gear oils; hydraulic lubricants; automotive chemicals; specialty products; greases, and cooling system products.

For more information on Valvoline products, programs and services please visit [www.valvolineurope.com](http://www.valvolineurope.com)

**Author: AdG**

Replaces – CC14/001

\*Trademark owned by a third party ™ Trademark of Ashland or its subsidiaries, registered in various countries © 2012, Ashland

All statements, information and data presented herein are believed to be accurate and reliable, but are not to be taken as a guarantee, an express warranty, or an implied warranty of merchantability or fitness for a particular purpose, or representation, express or implied, for which Ashland Inc. and its subsidiaries assume legal responsibility.